

Taian Green Industry Co., Ltd.

Tel: 86-156-6659-0861

E-mail: greenindustry@163.com

Web: www.taiangreenindustry.com

Safety Data Sheet

OT-75

Section 1 - Chemical Product and Company Identification

Product name: OT-75

Molecular formula: C₂₀H₃₇NaO₇S

Manufacturer: Taian Green Industry Co., Ltd.

Post code: 271000

Tel: 86-15666590861

Linkman: Hank

Section 2 - Hazards identification

Hazards type: Non-hazards

Human health hazards:

The steam pressure of the product is low, so there is no inhalation hazards.

Combustion hazards: combustible, non irritating

Section 3 - Composition/information on ingredients

Chemical name	CAS No.	%(w/w)
Sodium bis(2-ethylhexyl) sulfosuccinate	577-11-7	75
Ethanol	64-17-5	8
Water	7732-18-5	17

Section 4 - First aid measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention.

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.

Serious Inhalation:

Taian Green Industry Co., Ltd.

Tel: 86-156-6659-0861

E-mail: greenindustry@163.com

Web: www.taiangreenindustry.com

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5 - Firefighting measures

FLASH POINT : >150°C

EXTINGUISHING MEDIA

Foam Carbon dioxide Dry powder Other extinguishing agent suitable for Class B fires For large fires, use water spray or fog, thoroughly drenching the burning material. Water mist may be used to cool closed containers.

UNSUITABLE EXTINGUISHING MEDIA

Do not use water unless flooding amounts are available.

FIRE AND EXPLOSION HAZARD

Low Fire Hazard; liquids may burn upon heating to temperatures at or above the flash point. Empty product containers may contain product residue. Do not pressurize, cut, heat, weld, or expose containers to flame or other sources of ignition. May evolve oxides of carbon (COx) under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

Section 6 - Accidental release measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill:

Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7 - Handling and storage

HANDLING

Taian Green Industry Co., Ltd.

Tel: 86-156-6659-0861

E-mail: greenindustry@163.com

Web: www.taiangreenindustry.com

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Do not breathe vapors/gases/dust. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Ensure all containers are labelled.

STORAGE CONDITIONS

Store in suitable labelled containers. Store the containers tightly closed. Store separately from oxidizers. Store away from heat and sources of ignition. Protect product from freezing.

Section 8 - Exposure controls/personal protection

OCCUPATIONAL EXPOSURE LIMITS

This product does not contain any substance that has an established exposure limit.

ENGINEERING MEASURES

General ventilation is recommended.

PERSONAL PROTECTION

GENERAL ADVICE

The use and choice of personal protection equipment is related to the hazard of the product, the workplace and the way the product is handled. In general, we recommend as a minimum precaution that safety glasses with side-shields and workclothes protecting arms, legs and body be used. In addition any person visiting an area where this product is handled should at least wear safety glasses with side-shields.

RESPIRATORY PROTECTION

At ambient temperature none needed for vapour. If product is heated or if aerosol generation is likely, the use of a half face filter mask is recommended. An organic vapor cartridge with dust/mist prefilter may be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

HAND PROTECTION

Nitrile gloves, Butyl gloves, Neoprene gloves, PVC gloves

SKIN PROTECTION

See general advice.

EYE PROTECTION

Wear chemical splash goggles.

HYGIENE RECOMMENDATIONS

Use good work and personal hygiene practices to avoid exposure. Consider the provision in the work area of a safety shower and eyewash. Always wash thoroughly after handling chemicals. When handling this product never eat, drink or smoke.

Section 9 - Physical and chemical properties

Appearance: liquid

PH : 5.0~7.0

Taian Green Industry Co., Ltd.

Tel: 86-156-6659-0861

E-mail: greenindustry@163.com

Web: www.taiangreenindustry.com

Freezing point: N.D

Boiling point: >170 °C

Flash point: >150 °C

Solubility: Soluble in water, Soluble in alcohol and Other solvent.

VOC CONTENT: 0 %

Note: These physical properties are typical values for this product and are subject to change.

Section 10 - Stability and reactivity

STABILITY

Stable under normal conditions.

HAZARDOUS POLYMERIZATION

Hazardous polymerization will not occur.

CONDITIONS TO AVOID

Avoid extremes of temperature.

MATERIALS TO AVOID

Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

HAZARDOUS DECOMPOSITION PRODUCTS

Under fire conditions: Oxides of carbon

Section 11 - Toxicological information

Aquatic organism: slightly

Irritant: slightly

Sensitization: slightly

Mutagenicity: no

Teratogenicity: no

CARCINOGENICITY :

None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).

HUMAN HAZARD CHARACTERIZATION :

Based on our hazard characterization, the potential human hazard is: Low

Section 12 - Ecological information

PERSISTENCY AND DEGRADATION

Biological Oxygen Demand (BOD): NO

ENVIRONMENTAL HAZARD CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: NO

Section 13 - Disposal considerations

Taian Green Industry Co., Ltd.

Tel: 86-156-6659-0861

E-mail: greenindustry@163.com

Web: www.taiangreenindustry.com

Dispose of wastes in an approved incinerator or waste treatment/disposal site, in accordance with all applicable regulations. Do not dispose of wastes in local sewer or with normal garbage.

Empty drums should be taken for recycling, recovery, or disposal through a suitably qualified or licensed contractor.

Comply with local regulations.

Section 14 - Transport information

Classification: This product is not classified as hazardous

package demand: no special demand

package: 200Kg / plastic drum or 1000kg/ IBCdrum (Net weight).

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation.

Section 15 - Regulatory information

Security laws and rules: applicable

Law of environmental protection: applicable

Section 16 - Further information

Copyright 2018 Taian Green Industry Co., Ltd License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Taian Green Industry Co., Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

-----End-----